EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050163313"	US POPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 15:44
\$2	2	("5153977").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 18:42
83	429	713/150.ccls. and @ad< "20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	O N	2007/06/24 11:35
S6	104	380/265.ccls. and @ad<"20030123"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 18:46
S7	189	380/259.ccls. and @ad<"20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:31
S8	698	(S3 or S6 or S7)	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 18:47
S9	5	(("6223320") or ("6446198")).PN.	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 18:48
S10	32	"6223320" "6446198"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 23:46

S11	21	S10 and @ad< "20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:07
S12	168	((many or several or plurality) with ((table near3 look\$3) or lookuptable)) and Feistel and input and bit and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23
S13	68	S12 and @ad<"20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23
S14	2	\$13 and (\$8 or \$11)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23
S15	169	((many or several or plurality) with ((table near3 look\$3) or lookuptable)) and Feistel and input and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 19:34
S16	185	((many or several or plural \$4) with ((table near3 (look\$3 or lookup)) or lookuptable)) and (Feistel or MISTY\$3 or "s-box" or Kasumi) and input and joutput	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:14
S17	81	S16 and @ad<"20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 19:31
S18	3	S17 and (S8 or S11)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:15

S19	8	(("6189095") or ("7227948") or ("7043016") or ("6751319")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 19:33
S20	2	*20020021801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 19:34
S21	10	S19 or \$20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 19:34
S22	0	((many or several or plural \$4) with ((table near3 (look\$3 or lookup)) or lookuptable)) and №1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 19:35
S23	3	(((table near3 (look\$3 or lookup)) or lookuptable)) and \$21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:13
S24	2	(*6751319*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/23 23:46
S25	0	\$24 and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:14
S26	14154	((many or several or plural \$4) with (sbox or box or "s-box")) and (Feistel or MISTY\$3 or block or Kasumi) and input and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:19

S27	17	S26 and (S8 or S11)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:16
S28	3	S27 and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:16
S29	4896	vector and parallel and permutation and input and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:58
S30	122711	(many or several or plural \$4) with ((sbox or box or "s-box") or (table near3 (look\$3 or lookup)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:29
S31	365	\$29 and \$30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:30
S33	250	S31 and @ad<"20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:31
S34	84	((encrypt\$3 or cipher\$3 or encipher\$3 or cryptograph \$4) with (communicat\$3 or signal\$3 or exchang \$3)) and (network\$3 or Internet) and \$33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:33
S35	78	(((input\$3 or set or group or register) with (vector or function or array)) and \$34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:45

S36	2	"20030034999"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:36
S37	693	Kasumi and @ad<"20030123"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 23:13
S38	22	\$37 and (cipher\$3 or encrypt\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 22:47
S41	117	(Kasumi or 3CPP) and (vector with (input\$3 or register)) and @ad<"20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 23:17
S42	3	\$41 and ("713"/\$.ccls. or "380"/\$.ccls.)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/23 23:18
S43	11	(("6751319") or ("7212631") or ("6189095") or ("7227948") or ("7043016")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/24 11:04
S44	2	"20020021801"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:05
S 45	13	(S43 or S44)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:05

S46	0	S45 and (vector with (table or box or "s-box" or sbox))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:53
S47	0	S45 and (vector with (input or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:06
S48	30	vperm and @ad<"20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:22
S49	2	("7055018").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/24 11:22
S50	1	S49 and (vector or vperm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:24
S51	2	*6931511* and (vector or vperm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:35
S52	10	(("6275587") or ("6195026") or ("6119224") or ("6081896") or ("5956405")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/24 11:34
S53	51	"6275587" "6195026" "6119224" "6081896" "5956405"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:34

S54	46	\$53 and @ad< "20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:39
S55	17	S54 and (vector or vperm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:50
S56	6	("6937727").URPN.	USPAT	OR	ON	2007/06/24 11:38
S57	6	\$56 and @ad< "20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:49
S58	2	S57 and (vector or vperm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 111:39
S61	5	"6178500" and @ad< "20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:54
S62	4	S61 and (vector or vperm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:52
S63	3895	((vector or vperm) with (table or box or "s-box" or sbox) with (entry or input or load\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:54
S64	2802	S63 and @ad<"20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 11:55

S65	146	\$64 and ("713"/\$.cds. or "380"/\$.cds.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		2007/06/24 11:55
S66	2	("6931511").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/24 15:45
S67	1	S66 and (vperm or altivec)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 12:42
S68	4	(("6931511") or ("6751319")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/24 16:19
S69	2	\$68 and ((output or return or result) with (few \$2 or less or lower or smaller) with (bit or byte or input or size or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 15:47
S70	1	S68 and (predetermin\$3 same (box or sbox or table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 16:29
S71	2	\$68 and ("XOR" or exclus \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 16:30
S72	2	S68 and (("XOPt" or exclus \$5) same (table or box or sbox or "s-box"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/06/24 18:08

S73	1	S68 and (left and right and vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 18:08
S74	1092	Kasumi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 14:19
S75	735	S74 and @ad<"20030123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 14:25
S76	3	S75 and ((look\$3 near2 up) or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 14:26
S77	4	"20040131180" "20030007636"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 14:27
S78	60	(Misty with algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 14:51
S79	29	S78 and @ad<"20030123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 14:51
S80	2	S79 and ((look\$3 near2 up) or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 14:52

S81	113	Misty and (cipher\$3 or encrypt\$3 or cryptography)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:13
S82	50	S31 and @ad<"20030123"	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:14
S83	9	S82 and ((look\$3 near2 up) or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:14
S84	13880	(many or numerous or several or plural\$3) with input\$3 with (one or "1") with bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:34
S85	9	S93 and ((look\$3 near2 up) or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:34
S86	1653	S84 and ((look\$3 near2 up) or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:35
S87	1124	\$36 and @ad<"20030123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:35
S8 8	114	\$87 and (output\$3 or result\$3 or generat\$3) and (encrypt\$3 or cipher \$3 or cryptograph\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:36

S89	3	S88 and (Misty or Kasumi)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:37
S90	194	(encrypt\$3 or cipher\$3 or encipher\$3 or cryptograph		OR	ON	2008/03/31 19:30
S91	68	\$90 and @ad<"20030123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:30
S92	40	S91 and (table or LUT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:31

^{4/2/08 2:16:27} PM

C:\ Documents and Settings\ etran\ My Documents\ EAST\ Workspaces\ 10762364.wsp